
atmoSphere: Designing Cross-Modal Music Experiences Using Spatial Audio with Haptic Feedback

Haruna Fushimi Keio University Graduate school of Media Design Yokohama, Kanagawa 223-8526 haruna@kmd.keio.ac.jp

Kazuya Yanagihara Keio University Graduate School of Media Design Yokohama, Kanagawa 223-8526 yanagihara@kmd.keio.ac.jp Daiya Kato Keio University Graduate School of Media Design Yokohama, Kanagawa 223-8526 i.mas.trunk@kmd.keio.ac.jp

Kouta Minamizawa Keio University Graduate School of Media Design Yokohama, Kanagawa 223-8526 kouta@kmd.keio.ac.jp Youichi Kamiyama Keio University Graduate School of Media Design Yokohama, Kanagawa 223-8526

Kai Kunze Keio University Graduate School of Media Design Yokohama, Kanagawa 223-8526 kai@kmd.keio.ac.jp








Figure 1: (a) atmoSphere / (b) Motion Synchronization / (c) User Experience

ABSTRACT

We use cross-Modal correspondence -the interaction between two or more sensory modalities- to create an engaging user experience. We present atmoSphere, a system that provides users immersive music experiences using spatial audio and haptic feedback. We focused on cross-modality of auditory and haptic sensations to augment the sound environment. The atmoSphere consists of a spatialized music and a sphere shaped device which provides haptic feedback. It provides users imagination of large sound environment although they feel haptic sensation in their hands. First user feedback is very encouraging. According to participants, atmoSphere creates an engaging experience.

CCS CONCEPTS

•Human-centered computing \rightarrow Haptic devices; •Hardware \rightarrow Haptic devices;

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

SIGGRAPH '17 Emerging Technologies, Los Angeles, CA, USA
© 2017 Copyright held by the owner/author(s). 978-1-4503-5012-9/17/07...\$15.00
DOI: http://dx.doi.org/10.1145/3084822.3084845

KEYWORDS

Haptics, Spatial Sound, Cross-Modality, atmoSphere

ACM Reference format:

Haruna Fushimi, Daiya Kato, Youichi Kamiyama, Kazuya Yanagihara, Kouta Minamizawa, and Kai Kunze. 2017. atmoSphere: Designing Cross-Modal Music Experiences Using Spatial Audio with Haptic Feedback. In *Proceedings of SIGGRAPH '17 Emerging Technologies, Los Angeles, CA, USA, July 30 - August 03, 2017*, 2 pages.

DOI: http://dx.doi.org/10.1145/3084822.3084845

1 INTRODUCTION

Cross-modal effects in human perception are defined as interactions between two or more different human senses. Effects concerning audio and vision are very well understood and often used in Human Computer Interaction as well as other disciplines. As haptic feedback technologies are more broadly available, we also see more and more works that tackle cross-modal effects with touch and vision as well as audio [Fujisaki et al. 2015]. Still only very few researchers use these principles for interaction or user experience designs [Gu et al. 2015; Israr et al. 2012; Makino et al. 2016].

In our research we explore how to use cross-modal effects and correspondences to accelerate learning, increase immersion, and relaxation. This paper focuses on the later two: immerssion and relaxation.

The contributions are as follows: (1) we present atmoSphere a haptic device mapping directional audio to corresponding haptic sensations on a round, hand-held device, (2) we show two usage scenarios for atmoSphere, one to augment the spatial perception of a music perfromance and one to augment the relaxation during mindfulness training.

2 SYSTEM COMPONENTS

The atmoSphere (Figure 1(a)) provides immersive music experience using cross-modal effects. Surround haptics[Israr et al. 2012] proposed that a grid of vibrating actuators can generate moving tactile strokes on the skin. Po2[Israr et al. 2015] suggested illusion of tactile sensation by providing vibrations on the hand. Reality Jockey[Fan et al. 2013] proposed that spatial motion of sound with haptic feedback gave users the illusion that the vibration source was also moving. It proposed combination of haptic and auditory sensation augments your spatial perception.

2.1 Sphere Device

The atmoSphere device consists of a USB audio interface(Roland UA-1010), a Preamplifier and a power amplifier, 8 tactile sound transducers (Acouve Laboratory Vp2), a USB-audio transducer (PLANEX PL-US35AP), a noise-cancelling headphone (Boss QuietComfort 35), a 3D printed sphere made of white ABS resin. AtmoSphere consists of 10 seperate parts (with spacing in between). Each of the 8 side parts has a tactile sound transducer (Figure 1(b)). There is a cushioning material between a transducer and an ABS resin part to reduce the noise of the transducer vibrations.

A sphere shaped device is linked the image of sound environment. It is divided into 8 parts and each of them has a tactile sound transducer. Users can touch 2 or 3 parts with one hand so that they can feel movement of vibration. It provides users spatial motion of tactile feeling corresponding to spatial audio (Figure 1(b)).

2.2 Spatial Sound Music

The music for atmoSphere was composed with binaural recorded audio. We conducted binaural recording of various kinds of sounds like hand claps, whisper voice, and water sound. These sounds were recorded from 8 directions. The localization of these sounds are correspond to haptic feedback so that users can feel movement of sound.

3 USER EXPERIENCES

We implement two user demonstrations, augmenting a music experience and a mindfulness meditation. Both are designed to give the user a relaxing feeling.

3.1 Augmented Music

Users wear headphones and hold a sphere so that they hear and feel sound. For example, they can feel someone walking around (Figure 1(c)). The sphere provides vibrations in conjunction with such stereoscopic localization of sound. It enables users to imagine large sound environment although they feel vibration in their hands.

3.2 Augmented Mindfulness

We use J!NS MEME, smart glasses that measure relative eye and head movements, to infer the relaxation state of the user[Ishimaru et al. 2015]. We provide synchronized haptic and audio feedback with the relaxation state. The user hears the sound of a circulating brush stroke (as in calligraphy) moving around him with circular haptic feedback in a rhythmic pattern (stimulating him to breath accordingly). The more relaxed the user gets the lower the sound and the haptic feedback.

4 USER FEEDBACK

We showcased atmoSphere in several public events from our graduate school (forums and open labs). Participants' reactions and comments indicate that atmoSphere can provided entertaining experiences. However, cross-modal correspondence seems to depend highly on the type of sound and haptic feedback. Participants report that footsteps and rain drops seem to work very well, for example a user commented: "It really seems that someone is walking around me."

5 CONCLUSION AND FUTURE WORK

Combining haptic feedback and spatial audio, we created an engaging user experience considering user comments. We will evaluate immersion and engagement quantitatively in user studies.

In a next step we will test further spatial audio and haptic feedback design to explore other cross-modal correspondences. Also we will look more into application areas related to immersion, learning, localization and relaxation.

ACKNOWLEDGEMENT

This work is partly supported by JSPS KAKENHI Grant Number 26700018 and JST PRESTO Grant Number JPMJPR16D4.

REFERENCES

- Kevin Fan, Hideyuki Izumi, Yuta Sugiura, Kouta Minamizawa, Sohei Wakisaka, Masahiko Inami, Naotaka Fujii, and Susumu Tachi. 2013. Reality jockey: lifting the barrier between alternate realities through audio and haptic feedback. In Proceedings of the SIGCHI Conference on Human Factors in Computing Systems. ACM, 2557–2566.
- Waka Fujisaki, Midori Tokita, and Kenji Kariya. 2015. Perception of the material properties of wood based on vision, audition, and touch. Vision research 109 (2015), 185–200
- Heng Gu, Susana Sanchez, Kai Kunze, and Masahiko Inami. 2015. An augmented ereader for multimodal literacy. In Adjunct Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2015 ACM International Symposium on Wearable Computers. ACM, 353–356.
- Shoya Ishimaru, Kai Kunze, Katsuma Tanaka, Yuji Uema, Koichi Kise, and Masahiko Inami. 2015. Smart eyewear for interaction and activity recognition. In Proceedings of the 33rd Annual ACM Conference Extended Abstracts on Human Factors in Computing Systems. ACM, 307–310.
- Ali Israr, Seung-Chan Kim, Jan Stec, and Ivan Poupyrev. 2012. Surround haptics: tactile feedback for immersive gaming experiences. In CHI'12 Extended Abstracts on Human Factors in Computing Systems. ACM, 1087–1090.
- Ali Israr, Siyan Zhao, Kyna McIntosh, JaeKyun Kang, Zachary Schwemler, Eric Brockmeyer, Mark Baskinger, and Moshe Mahler. 2015. Po2: augmented haptics for interactive gameplay. In ACM SIGGRAPH 2015 Emerging Technologies. ACM, 21.
- Yasutoshi Makino, Yoshikazu Furuyama, Seki Inoue, and Hiroyuki Shinoda. 2016. HaptoClone (haptic-optical clone) for mutual tele-environment by real-time 3D image transfer with midair force feedback. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems. ACM, 1980–1990.